

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

beko Allclean

Substance name: Hydrocarbons, C7-C9, n-alkanes, cyclics
 REACH Registration Number: 01-2119473851-33-XXXX
 EC No: 920-750-0
 UFI: DN0K-5630-PV55-VMA6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products

Uses advised against

Use of fuels

1.3. Details of the supplier of the safety data sheet

Company name: beko GmbH
 Street: Rappenfeldstr. 5
 Place: D-D-86653 Monheim
 Telephone: +49 (0) 9091/90898-0
 e-mail: info@beko-group.com
 Telefax: +49 (0) 9091/90898-29

1.4. Emergency telephone number:

+49 (0) 6131 19240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225
 Asp. Tox. 1; H304
 STOT SE 3; H336
 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Danger

Pictograms:



Hazard statements

H225 Highly flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 2 of 13

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P312	Call a POISON CENTER/doctor if you feel unwell.
P370+P378	In case of fire: Use Carbon dioxide, Extinguishing powder, alcohol resistant foam to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (GB CLP Regulation)	
	Hydrocarbons, C7-C9, n-alkanes, cyclics	95 - < 100 %
	920-750-0	01-2119473851-33-XXXX
	Flam. Liq. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H336 H304 H411	
110-82-7	cyclohexane	1 - < 3 %
	203-806-2	601-017-00-1
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H225 H315 H336 H304 H400 H410	
110-54-3	n-hexane	0.1 - < 0.5 %
	203-777-6	601-037-00-0
	Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H373 H304 H411	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
	920-750-0	Hydrocarbons, C7-C9, n-alkanes, cyclics	95 - < 100 %
		inhalation: LC50 = 23,3 mg/l (vapours); dermal: LD50 = >2800 mg/kg; oral: LD50 = >5840 mg/kg	
110-82-7	203-806-2	cyclohexane	1 - < 3 %
		inhalation: LC50 = >32880 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
110-54-3	203-777-6	n-hexane	0.1 - < 0.5 %
		inhalation: LC50 = 169 mg/l (vapours); dermal: LD50 = >3350 mg/kg; oral: LD50 = = 16000 mg/kg STOT RE 2; H373: >= 5 - 100	

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 3 of 13

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Repeated exposure may cause skin dryness or cracking. Narcotic effects, Headache, Unconsciousness

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.**Unsuitable extinguishing media**

Full water jet

5.2. Special hazards arising from the substance or mixture

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Flammable. Vapours can form explosive mixtures with air.

Hazardous combustion products Pyrolysis products, toxic Carbon dioxide (CO₂). Carbon monoxide**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

For non-emergency personnel

Remove persons to safety.

For emergency responders

In case of dangerous gases, vapours or dusts self-contained breathing apparatus or suitable masks and filters need to be advised. Wear a self-contained breathing apparatus and chemical protective clothing.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 4 of 13

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Collect spillage.

Other information

Treat the recovered material as prescribed in the section on waste disposal. Ventilate affected area.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use only antistatically equipped (spark-free) tools. Use explosion-proof [electrical/ventilating/lighting] equipment. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Washing and cleaning products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
110-82-7	Cyclohexane	100	350		TWA (8 h)	WEL
		300	1050		STEL (15 min)	WEL
110-54-3	n-Hexane	20	72		TWA (8 h)	WEL

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 5 of 13

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
	Hydrocarbons, C7-C9, n-alkanes, cyclics		
Consumer DNEL, long-term	oral	systemic	699 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	699 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	773 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	2035 mg/m ³
Consumer DNEL, long-term	inhalation	systemic	608 mg/m ³
110-82-7	cyclohexane		
Worker DNEL, long-term	inhalation	systemic	700 mg/m ³
Worker DNEL, long-term	dermal	systemic	2.016 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	206 mg/m ³
Consumer DNEL, long-term	dermal	systemic	1.186 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	59,4 mg/kg bw/day
110-54-3	n-hexane		
Worker DNEL, long-term	inhalation	systemic	75 mg/m ³
Worker DNEL, long-term	dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	16 mg/m ³
Consumer DNEL, long-term	dermal	systemic	5,3 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	4 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
110-82-7	cyclohexane	
Freshwater	0,0447 mg/l	
Marine water	0,0447 mg/l	
Freshwater sediment	3,6 mg/kg	
Marine sediment	0,36 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,00324 mg/l	
Soil	0,694 mg/kg	

Additional advice on limit values

TRGS 901: Hydrocarbons, C7-C9, n-alkanes, cyclics
 Long-term occupational exposure limit value: 1200 mg/m³
 short-term occupational exposure limit value: 2400 mg/m³

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 6 of 13

gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Recommended material:

NBR (Nitrile rubber) ; 0,4 mm Breakthrough time: >480 min);

FKM (fluoro rubber) 0,4 mm Breakthrough time: >480 min

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Filter type: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	characteristic
Odour threshold:	not determined

	Test method	
Melting point/freezing point:	<.20 °C	
Boiling point or initial boiling point and boiling range:	90- 165 °C	
Flammability:	not applicable	
Lower explosion limits:	0,9 vol. %	
Upper explosion limits:	6,7 vol. %	
Flash point:	< 5 °C	DIN EN ISO 13736
Auto-ignition temperature:	200 °C	DIN 51794
Decomposition temperature:	not determined	
pH-Value:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Viscosity / kinematic: (at 20 °C)	0,5-1,55 mm ² /s	DIN 51562
Water solubility:	practically insoluble	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:	practically insoluble	
Vapour pressure: (at 25 °C)	20 hPa	
Vapour pressure:		OECD 104
Density:	0,71 g/cm ³	
Relative vapour density:	not determined	

9.2. Other information

Information with regard to physical hazard classes

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 7 of 13

Explosive properties

Temperature Class : T3

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent content:

100,00 %

Solid content:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Flammable,

In case of warming: Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges. Use explosion-proof [electrical/ventilating/lighting] equipment. Use only antistatically equipped (spark-free) tools.

10.5. Incompatible materials

Oxidizing agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further informationHazardous combustion products Pyrolysis products, toxic Carbon dioxide (CO₂). Carbon monoxide**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C7-C9, n-alkanes, cyclics				
	oral	LD50 >5840 mg/kg	Rat	OECD 401	
	dermal	LD50 >2800 mg/kg	Rat	OECD 402	
	inhalation (4 h) vapour	LC50 23,3 mg/l	Rat Rat	OECD 403	
110-82-7	cyclohexane				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA	OECD 402
	inhalation (4 h) vapour	LC50 >32880 mg/l	Rat	ECHA	OECD 403
110-54-3	n-hexane				
	oral	LD50 16000 mg/kg	Ratte	ECHA	OECD 401
	dermal	LD50 >3350 mg/kg	Rabbit	ECHA	OECD402
	inhalation (4 h) vapour	LC50 169 mg/l	Ratte	GESTIS-Stoffdatenbank	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C7-C9, n-alkanes, cyclics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

Substance related information: Health hazard properties, Special hazards arising from the substance or mixture, Classification according to Regulation (EC) No 1272/2008 [CLP]

11.2. Information on other hazards

Endocrine disrupting properties

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 9 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Hydrocarbons, C7-C9, n-alkanes, cyclics					
	Acute fish toxicity	LC50 >3 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l 10-30	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 3,2 mg/l	48 h	Daphnia magna (Big water flea) Daphnia magna (Big water flea)		
	Fish toxicity	NOEC mg/l 0,574	28 d	Fisch		
	Crustacea toxicity	NOEC 1 mg/l	21 d	Daphnia magna (Big water flea) Daphnia magna (Big water flea)	OECD 21	
110-82-7	cyclohexane					
	Acute fish toxicity	LC50 mg/l 4,53	96 h	Pimephales promelas (fathead minnow)	ECHA	OECD 203
	Acute algae toxicity	ErC50 mg/l 9,317	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EC50 0,9 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
110-54-3	n-hexane					
	Acute fish toxicity	LC50 2,5 mg/l	96 h	Pimephales promelas	GESTIS-Stoffdatenbank	
	Acute algae toxicity	ErC50 mg/l 9,317	72 h	Pseudokirchneriella subcapitata	ECHA	(Q)SAR
	Acute crustacea toxicity	EC50 2,1 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	(Q)SAR

12.2. Persistence and degradability

The product has not been tested.

Readily biodegradable (according to OECD criteria).

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
	Hydrocarbons, C7-C9, n-alkanes, cyclics				
	OECD 301F	98%	28		
	Readily biodegradable (according to OECD criteria).				
110-82-7	cyclohexane				
	OECD 301F	77%	28		
110-54-3	n-hexane				
	OECD 301 F	98%	28		
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-54-3	n-hexane	4

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 10 of 13

BCF

CAS No	Chemical name	BCF	Species	Source
110-82-7	cyclohexane	167		
110-54-3	n-hexane	501,2		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

WGK 1

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200113 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Solvents; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3295

14.2. UN proper shipping name:

HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C7-C9, n-alkanes, cyclics)

14.3. Transport hazard class(es):

3

14.4. Packing group:

II

Hazard label:

3



Classification code:

F1

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 11 of 13

Special Provisions: 640D
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 33
 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Special Provisions: 640D
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3295
14.2. UN proper shipping name: HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: A3 A324
 Limited quantity Passenger: 1 L
 Passenger LQ: Y341
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 353
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 364
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 12 of 13

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Hydrocarbons, C7-C9, n-alkanes, cyclics

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 57, Entry 75

2010/75/EU (VOC): 100 % (710 g/l)

2004/42/EC (VOC): 100 % (710 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC
Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

Changes

Änderungen gegenüber der letzten Version:
Revisions-Nr.2.1 vom 15.12.2010 - Abschnitt 1-16, Einstufung und Kennzeichnung gemäß VO 1272/2008
Revisions-Nr.2.20 vom 09.09.2015 -geändertes Layout , Abschnitt 1 - 16
Revisions-Nr.2.21 vom 17.06.2016- Abschnitt 1.2
Revisions-Nr.2.22 vom 17.01.2020-Anbschnitt 2.2 und 2.3

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.

Safety Data Sheet

according to UK REACH Regulation

beko Allclean

Revision date: 12.03.2024

Product code: 266 120 xxxx

Page 13 of 13

H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.